# FRASH

dance the taste

### FRXSH MOUSSE CHEF



## THE REAL ALTERNATIVE AMONG FROZEN FOOD PROCESSORS


The FRXSH Mousse Chef masters the familiar repertoire of a frozen food processor to perfection, while also offering strong added value on top. New processing functions and the user-centered appliance design make user guidance and handling smart, convenient and very simple.

In addition, we guarantee premium quality Made in Switzerland and first-hand service. At a price that makes the FRXSH Mousse Chef a real alternative among frozen food processors.

You will enjoy the FRXSH Mousse Chef for a very long time.

#### QUALITY AND SUSTAINABILITY

- · Development and manufacturing in Switzerland
- · Supreme performance and energy efficiency
- · Compact and weight-reduced design
- · Maintenance-friendly engineering
- First-hand service with guaranteed spare parts supply



#### **CONVINCINGLY EASY TO HANDLE**

- Smart touch display with color guidance system
- Removable base plate
- Snap-in protective beaker
- · Hygienic cleaning programs without extra costs
- · Extensive accessories

#### **POWERFUL FUNCTIONS**

- · Moussing of frozen foods
- · Speed mode option
- Cutting or whipping of unfrozen foods
- · Adjustable moussing-, cutting- or whipping-intensity
- Automatic repeat function (up to 9 times)
- Portion selection in whole and tenth steps
- Processing with normal or overpressure
- Programmable presets for 5 recipes
- Memory-function for processing runs
- Cup overfill protection
- Programmable device settings
- · Standby mode
- WIFI function for the latest software updates, fast service support and more, directly at the point of use







#### STARTER-SET



FRXSH Mousse Chef with protective beaker



2 Chrome steel cups with sealing cap



Rinsing ring



Cleaning brush



Silver Dancer



Splashguard and ringscraper



Cleaning seal

#### TECHNICAL DATA

Rated power	1000 W
Voltage / frequency	220-240V/50-60 Hz
Overpressure	арргох. 1.2 bar
Plug type	F, L, J, G
Device control	Touchscreen, electronic unit, microprocessor-controlled
Interfaces	WiFi, USB, Bluetooth module
Emission sound pressure level (LPA)	<80 db
Dimensions (cm)	$47.7 \times 18.2 \times 31.1 \text{ (H} \times \text{W} \times \text{D)}$
Metal sheet covering and cover plate	Stainless steel
Base of device	Die-cast aluminium with hygienic coating
Weight	14.25 kg (excl. accessories)



FRXSH GmbH Im Hag 1, 79227 Schallstadt, Germany T +49 7664 50894 00 | E office@frxsh.de

FRXSH Vertrieb AG Industriestrasse 70, 4657 Dulliken, Switzerland T +41 58 17888 00 | E office@frxsh-vertrieb.com